Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("6330598").PN.	USPAT; USOCR	OR	OFF	2006/01/18 11:10
S2	5	"709"/\$.ccls. and (translat\$4 and protocols).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 11:10
53	40	"709"/\$.ccls. and (translat\$4 and protocols).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 11:29
54	1	"709"/\$.ccls. and (translat\$4 with protocols) and (classif\$4 near2 request\$3) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 11:22
S5	4	"709"/\$.ccls. and (translat\$4 with protocols) and (classif\$4 with request\$3) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 11:53
S6	6	"709"/\$.ccls. and (multipl\$3 near2 networks) and (classif\$4 with request\$3) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 11:57
S7	13	"709"/\$.ccls. and (plurality\$3 near2 networks) and (classif\$4 with request\$3) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 11:57
S8	25	"709"/\$.ccls. and (translat\$4 with protocols) and (identical with protocol) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 13:54

S9	15	(translat\$4 with protocols) same	US-PGPUB;	OR	ON	2006/01/18 14:19
39		(identical with protocols) same (identical with protocol) and @ad<="19980623"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OK .		2000/01/10 14.19
S10	1	("6058115").PN.	USPAT; USOCR	OR	OFF	2006/01/18 14:31
S11	357	translat\$4 and (priorit\$ with protocol\$41) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:32
S12	357	translat\$4 and (priorit\$ with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:32
S13	71	"709"/.ccls. and translat\$4 and (priorit\$ with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:33
S14	19	"709"/.ccls. and (translat\$4 with protocol\$1) and (priorit\$ with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 14:34
S15	1	"709"/.ccls. and (translat\$4 with protocol\$1) and (priorit\$ with list\$1 with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 15:16
S16	4	"709"/.ccls. and (priorit\$ with list\$1 with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 15:28
S17	13	(priorit\$ with list\$1 with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:09

			I			
S18	2	(updat\$3 with priorit\$ with list\$1 with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:25
S19	35	internet and (updat\$3 with list\$1 with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/01/18 17:29
S20	4	internet and (new near1 connection) and (updat\$3 with list\$1 with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:34
S21	0	internet and updat\$4 with (new near1 connection) same (list\$1 with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2006/01/18 17:34
S22	1	internet and (new near1 connection) same (list\$1 with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/01/18 17:42
S23	2	internet and (new near1 connection) same (library with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:43
S24	407	internet and (updat\$3 near1 connection library with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:43
S25	159	"709"/\$.ccls. and internet and (updat\$3 near1 connection library with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:51

			· · · · · · · · · · · · · · · · · · ·	,		
S26	158	"709"/\$.ccls. and internet and (updat\$3 near1 profile\$1 library with protocol\$4) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:02
S27	16639598	"709"/\$.ccls. and internet and (user near1 request\$1) and (updat\$3 with list with new) @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:03
S28	26	"709"/\$.ccls. and internet and (user near1 request\$1) and (updat\$3 with list with new) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/01/18 18:04
S29	0	"709"/\$.ccls. and internet and (user near1 request\$1) and (updat\$3 with list with protocol\$1 with new) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:04
S30		"709"/\$.ccls. and internet and (user near1 request\$1) and (updat\$3 with list with priorit\$4 with new) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:04
S31	1	"709"/\$.ccls. and internet and (user near1 request\$1) and (updat\$3 with list with previous\$4 with new) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:05
S32	4	"709"/\$.ccls. and internet and (user near1 request\$1) and (updat\$3 with new near1 session) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:13
S33	147	"709"/\$.ccls. and (send\$4 with user near1 request\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:13

			•	,		
S34	1	"709"/\$.ccls. and (send\$4 with user near1 request\$1) with (plurality near2 servers) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:14
S35	0	"709"/\$.ccls. and (send\$4 with user near1 request\$1) with (plurality near2 vendor\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:14
S36	6	"709"/\$.ccls. and (send\$4 with user near1 request\$1) with (plurality) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:17
S37	4	"709"/\$.ccls. and (user near1 request\$1) with (plurality with services) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:23
S38	1	("6,061,714").PN.	USPAT; USOCR	OR	OFF	2006/01/18 18:24
S39	0	("20010032254").PN.	USPAT; USOCR	OR	OFF	2006/01/18 18:24
S40	1	("20010032254").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 18:24
S41	4657	(service near2 request\$4) and translat\$4 and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:25
S42	192	(service near2 request\$4) and (translat\$4 near1 protocol\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:26
S43	12	(service near2 request\$4) and (translat\$4 near1 protocol\$1) and (select\$3 near1 destination\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:34

			T	r		
S44	3	(service near2 message\$4) and (translat\$4 near1 protocol\$1) and (select\$3 near1 destination\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:35
S45	8	(receiv\$3 near2 message\$4) and (translat\$4 near1 protocol\$1) and (select\$3 near1 destination\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/01/18 18:39
S46	14	(service\$4 with request\$3) and (translat\$4 near1 protocol\$1) and (select\$3 near1 destination\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:41
S47	20	(service\$4 with request\$3) and (translat\$4 near1 protocol\$1) and (select\$3 with service\$1 near2 provider\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:43
S48	0	(service\$4 with request\$3) and (updat\$3 with translat\$4 near1 protocol\$1) and (select\$3 with service\$1 near2 provider\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:43
S49	1	(service\$4 with request\$3) and (updat\$3 same translat\$4 near1 protocol\$1) and (select\$3 with service\$1 near2 provider\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:45
S50	3	(service\$4 with request\$3) and (updat\$3 same translat\$4 near1 protocol\$1) and (service\$1 near2 provider\$1) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:50
S51	1	("6243815").PN.	USPAT; USOCR	OR	OFF	2006/01/18 18:50
S52	1	("5881234").PN.	USPAT; USOCR	OR	OFF	2006/01/18 19:09
S53	0	("20020055995").PN. ·	USPAT; USOCR	OR	OFF	2006/01/18 19:10

S54	1	("20020055995").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 19:10
S55	1	("6058115").PN.	USPAT; USOCR	OR	OFF	2006/01/20 12:02
S56	272	((gateway or router or hub) with remov\$3 with (protocol or connection)) and @ad<="19980623"	USPAT	OR	OFF	2006/01/20 12:05
S57	5	((gateway or router or hub) with remov\$3 with ((translat\$4 near2 protocol))) and @ad<="19980623"	USPAT	OR	OFF	2006/01/20 12:09
S58	1	((gateway or router or hub) with discard\$3 with ((translat\$4 near2 protocol))) and @ad<="19980623"	USPAT	OR	OFF	2006/01/20 12:09
S59	11	((gateway or router or hub) with discard\$3 with ((protocol))) and @ad<="19980623"	USPAT	OR	OFF	2006/01/20 13:38
S60	0	((gateway or router or hub or sattelite\$1)same audio near2 servers same protocol same subcribers) and @ad<="19980623"	USPAT	OR	OFF	2006/01/20 13:48
S61	0	((gateway or router or hub or sattelite\$1)same audio near2 servers-same protocol same subcribers) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:48
S62	0	((gateway or router or hub or sattelite\$1)same media near2 servers same protocol same subcribers) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:48
S63	0	((gateway or router or hub or sattelite\$1)same media with servers same protocol same subcribers) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:48
S64	68	((gateway or router or hub or sattelite\$1)same media with servers same protocols) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:49

S65		((gateway or router or hub or sattelite\$1)same media with servers same translat\$4 near2 protocols) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:49
S66	10	((gateway or router or hub or sattelite\$1)same media with servers same translat\$4 with protocols) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:55
S67	0	((gateway or router or hub or sattelite\$1)same audio near2 servers same translat\$4 with protocols) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:55
S68	0	((gateway or router or hub or sattelite\$1)same audio with servers same translat\$4 with protocols) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 13:56
S69	4132	((gateway or router or hub or sattelite\$1)same audio translat\$4 with protocols) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/01/20 13:56
S70	0	((gateway or router or hub or sattelite\$1)same audio with boardcast\$3 with translat\$4 with protocols) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:14
S71	1	("CORBA IIOP" with translat\$4 with protocols) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:16
S72	1	(CORBA near1 IIOP with translat\$4 with protocols) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 14:36

	T			·		<u></u>
S73	0	(oversize with protocols with list) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 16:22
S74	112	(encryption with request\$4 with servers) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 16:22
S75	73	(encryption with request\$4 with servers and protocols) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 16:56
S76	1	("6339595").PN.	USPAT; USOCR	OR	OFF	2006/01/20 16:57
S77	1	("5940478").PN.	USPAT; USOCR	OR	OFF	2006/01/20 17:02
S78	0	("20050261785").PN.	USPAT; USOCR	OR	OFF	2006/01/20 16:58
S79	1	("20050261785").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/20 16:58
S80	1	("6260021").PN.	USPAT; USOCR	OR	OFF	2006/01/20 17:03
S81	1	("6463418").PN.	USPAT; USOCR	OR	OFF	2006/01/20 17:03
S82	0	("20030117959").PN.	USPAT; USOCR	OR .	OFF	2006/03/27 18:47
S83	1	("20030117959").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/27 18:47
S84	1300	"709"/\$.ccls. and ((updat\$3 modif\$4 chang\$3) with (services parameters)) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 11:24
S85	216	"709"/\$.ccls. and ((updat\$3 modif\$4 chang\$3) with (services parameters)) with servers and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 11:27

S86	95	"709"/\$.ccls. and ((updat\$3	US-PGPUB;	OR	ON	2006/08/11 11:27
	33	modif\$4 chang\$3) near2 (services parameters)) with servers and @ad<="19980623"	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S87	3	"709"/\$.ccls. and (((updat\$3 modif\$4 chang\$3) near2 (services parameters))).ab. with servers and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 11:29
S88	31	(((updat\$3 modif\$4 chang\$3) near2 (services parameters))).ab. with servers and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 11:29
S89	31	(((updat\$3 modif\$4 chang\$3) near2 (services parameters)) with servers).ab. and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 11:59
S90	240	(((updat\$3 modif\$4 chang\$3) near2 (services parameters)) with servers) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:16
S91	21	((if) with available)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:17
S92	0	((if) with reallocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:17
S93	0	((if) with re-allocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:18

COA		(/:D a = = = = = = = = = = = = = = = = = =	LIC DODLID	00	6 1	2006/00/44 44 45
S94	0	((if) same re-allocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:18
S95	899	(re-allocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:18
S96	0	(re-allocat\$3 with disctribu\$3 near2 servers)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:19
S97	26	(re-allocat\$3 with servers)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 14:45
S98	2	((fail\$3 unvailable) with re-allocat\$3 with servers)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:00
S99	170	((fail\$3 unvailable) with available\$3 with servers)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:00
S10 0	76	((fail\$3 unvailable) with available\$3 near2 servers)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:00
S10 1	35	"709"/\$.ccls. and ((fail\$3 unvailable) with available\$3 near2 servers)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:13

					,	·
S10 2	11	"709"/\$.ccls. and ((found) with available\$3 near2 servers)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:50
S10 3	3	"709"/\$.ccls. and (phone\$1 with allocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:52
S10 4	0	"709"/\$.ccls. and (phone\$1 with re-allocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:53
S10 5	1	(phone\$1 with re-allocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:53
S10 6	1	(phone\$1 same re-allocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:53
S10 7	105	(phone\$1 and re-allocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/08/11 16:53
S10 8	9	"709"/\$.ccls. and (phone\$1 and re-allocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/08/11 16:55
S10 9	0	(phone\$1 and re-allocat\$3 with (access\$3 near3 points))and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:56

S11 0	13	(phone\$1 and re-allocat\$3 and (access\$3 near3 points))and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:57
S11 1	0	(phone\$1 with re-allocat\$3 and (access\$3 near3 points))and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:57
S11 2	0	(tellephone\$1 with re-allocat\$3 and (access\$3 near3 points))and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:58
S11 3	0	(tellephone\$1 same re-allocat\$3 and (access\$3 near3 points))and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:58
S11 4	0	(tellephone\$1 same re-allocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 16:58
S11 5	20	(telephone\$1 same re-allocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 17:00
S11 6	0	telephone\$1 and (travel\$3 same re-allocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 17:00
S11 7	4	telephone\$1 and (travel\$3 same reallocat\$3)and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 17:03

S11 8	1	(telephone\$1 same (reallocat\$3 near3 servers))and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 17:09
S11 9	1	("6314088").PN.	USPAT; USOCR	OR	OFF	2006/08/11 17:10
S12 0	8	automated near1 provision\$3 near1 (server\$1 systems) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 17:14
S12 1	26	automated near3 provision\$3 near1 (server\$1 systems) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 17:19
S12 2	0	automated near3 redirect\$3 near1 (server\$1 systems) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 17:19
S12 3	8	automat\$3 near3 redirect\$3 near1 (server\$1 systems) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 17:26
S12 4	0	("2005002194327").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/11 17:21
S12 5	0	("2001002194327").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/11 17:22
S12 6	0	("200100360521").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/11 17:22
S12 7	1	("6608760").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/11 17:23
S12 8	6	automat\$3 with redirect\$3 near1 (server\$1 systems) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 17:27

S12 9	5	automat\$3 with reallocat\$3 near3 (server\$1 systems) and @ad<="19980623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/11 17:33
S13 0	1	("6249800").PN.	USPAT; USOCR	OR	OFF	2006/08/11 17:33